II-482-06

Facility name: NATIONAL LEAD / TARA Corp

Location: 16Th & CLEVELAND Blvd. GRANITE City, IL 62040

EPA Region: V

Person(s) in charge of the facility: Southern District of the Illinois EPA
(618) 345-4606

Name of Reviewer: C.E. Mays III Date: 5/25/83

General description of the facility:

(For example: landfill, surface impoundment, pile, container; types of hazardous substances; location of the facility; contamination route of major concern; types of information needed for rating; agency action, etc.)

Site is not qualified for NPL because site as interim status!

Air route combined the St Louis Lead Recyclers site and the Taracorp site because there is no way to pinpoint air pollution from one site or the other site. St Louis Lead Recyclers reclaiming Taracorp waste pile. Taracorp is a secondary lead smelter which produces sheet lead, solder, shotgun lead pellets, lead wool, secondary lead ingots old battery cases, slag, and matte goes to the waste pile. Sludge is disposed of at an approved landfill

Scores: S_M = 31.41 (S_{gw} = 6.12 S_{sw} = 6.55 S_a = 58.85)

S_{FE} = 0

S_{DC} = 50.0

FIGURE 1
HRS COVER SHEET

Ground Water Route Work Sheet					
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Release	0 (45)	1	45	45	3.1
If observed release is given a score of 45, proceed to line 4. If observed release is given a score of 0, proceed to line 2.					
2 Route Characteristics					3.2
Depth to Aquifer of Concern	0 1 2 3	2		6	
Net Precipitation	0 1 2 3	1		3	
Permeability of the Unsaturated Zone	0 1 2 3	1		3	
Physical State	0 1 2 3	1		3	
Total Route Characteristics Score				15	
3 Containment	0 1 2 3	1		3	3.3
4 Waste Characteristics					3.4
Toxicity/Persistence	0 3 6 9 12 15 (18)	1	18	18	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 (8)	1	8	8	
Total Waste Characteristics Score			26	26	
5 Targets					3.5
Ground Water Use	0 (1) 2 3	3	3	9	
Distance to Nearest Well/Population Served	(0) 4 6 8 10 12 16 18 20 24 30 32 35 40	1	0	40	
Total Targets Score			3	49	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5				57,330	
7 Divide line 6 by 57,330 and multiply by 100		S_{gw} =			

FIGURE 2
GROUND WATER ROUTE WORK SHEET

$45 \times 26 \times 3 = 3510$

$\frac{3510}{57330} \times 100{,}000 = 6.12$

Surface Water Route Work Sheet					
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Release	(0) 45	1	0	45	4.1
If observed release is given a value of 45, proceed to line 4. If observed release is given a value of 0, proceed to line 2.					
2 Route Characteristics					4.2
Facility Slope and Intervening Terrain	(0) 1 2 3	1	0	3	
1-yr. 24-hr. Rainfall	0 1 (2) 3	1	2	3	
Distance to Nearest Surface Water	0 (1) 2 3	2	2	6	
Physical State	0 1 (2) 3	1	2	3	
Total Route Characteristics Score			6	15	
3 Containment	0 1 2 (3)	1	3	3	4.3
4 Waste Characteristics					4.4
Toxicity/Persistence	0 3 6 9 12 15 (18)	1	18	18	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 (8)	1	8	8	
Total Waste Characteristics Score			26	26	
5 Targets					4.5
Surface Water Use	0 1 2 (3)	3	9	9	
Distance to a Sensitive Environment	(0) 1 2 3	2	0	6	
Population Served/Distance to Water Intake Downstream	(0) 4 6 8 10 12 16 18 20 24 30 32 35 40	1	0	40	
Total Targets Score			9	55	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5				64,350	
7 Divide line 6 by 64,350 and multiply by 100		S_{SW} =			

FIGURE 7
SURFACE WATER ROUTE WORK SHEET

$6 \times 3 \times 26 \times 9 = 4212$

$\frac{4212}{64350} \times 100 = 6.55$

Air Route Work Sheet					
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
[1] Observed Release	0 (45)	1	45	45	5.1
Date and Location:					
Sampling Protocol:					
If line [1] is 0, the S_a = 0. Enter on line [5]. If line [1] is 45, then proceed to line [2].					
[2] Waste Characteristics					5.2
Reactivity and Incompatibility	(0) 1 2 3	1	0	3	
Toxicity	0 1 2 (3)	3	9	9	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 (8)	1	8	8	
	Total Waste Characteristics Score		17	20	
[3] Targets					5.3
Population Within 4-Mile Radius	0 9 12 15 18 21 (24) 27 30	1	24	30	
Distance to Sensitive Environment	(0) 1 2 3	2	0	6	
Land Use	0 1 2 (3)	1	3	3	
	Total Targets Score		27	39	
[4] Multiply [1] x [2] x [3]				35,100	
[5] Divide line [4] by 35,100 and multiply by 100		S_a =			

FIGURE 9
AIR ROUTE WORK SHEET

$45 \times 17 \times 27 = 20655$

$$\frac{20655}{35100} \times 100 = 58.85$$

	S	S^2
Groundwater Route Score (S_{gw})	6.12	37.45
Surface Water Route Score (S_{sw})	6.55	42.90
Air Route Score (S_a)	58.95	3463.32
$S_{gw}^2 + S_{sw}^2 + S_a^2$		3543.67
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2}$		59.53
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2} / 1.73 = S_M =$		34.41

FIGURE 10
WORKSHEET FOR COMPUTING S_M

Not documented as a hazard by fire marshall!

Fire and Explosion Work Sheet						
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)	
1 Containment	1 3	1		3	7.1	
2 Waste Characteristics					7.2	
Direct Evidence	0 3	1		3		
Ignitability	0 1 2 3	1		3		
Reactivity	0 1 2 3	1		3		
Incompatibility	0 1 2 3	1		3		
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1		8		
Total Waste Characteristics Score				20		
3 Targets					7.3	
Distance to Nearest Population	0 1 2 3 4 5	1		5		
Distance to Nearest Building	0 1 2 3	1		3		
Distance to Sensitive Environment	0 1 2 3	1		3		
Land Use	0 1 2 3	1		3		
Population Within 2-Mile Radius	0 1 2 3 4 5	1		5		
Buildings Within 2-Mile Radius	0 1 2 3 4 5	1		5		
Total Targets Score				24		
4 Multiply 1 x 2 x 3				1,440		
5 Divide line 4 by 1,440 and multiply by 100		S_{FE} =				

FIGURE 11
FIRE AND EXPLOSION WORK SHEET

Direct Contact Work Sheet					
Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Incident	(0) 45	1	0	45	8.1
If line 1 is 45, proceed to line 4 If line 1 is 0, proceed to line 2					
2 Accessibility	0 1 2 (3) No barriers	1	3	3	8.2
3 Containment	0 (15) Uncovered Pile	1	15	15	8.3
4 Waste Characteristics Toxicity	0 1 2 (3) Lead	5	15	15	8.4
5 Targets	3001 to 10 000				8.5
Population Within a 1-Mile Radius	0 1 2 3 (4) 5	4	16	20	
Distance to a Critical Habitat	(0) 1 2 3	4	0	12	
	Total Targets Score		16	32	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5				21,600	
7 Divide line 6 by 21,600 and multiply by 100	S_{DC} =				

FIGURE 12
DIRECT CONTACT WORK SHEET

$3 \times 15 \times 15 \times 16 = 10800$

$\frac{10\,800}{21\,600} \times 100 = 50.0$